



Brief Introduction to Color Spaces

Luca Guarnera, Ph.D.

Research Fellow


luca.guarnera@unict.it


University of Catania
Dipartimento di Economia e Impresa





RGB color space











Additive Synthesis



RGB

Additive color composition starting from the three RGB primary colors.

From their overlapping we get white (W), from the overlapping of two lights we get yellow (γ), magenta (M) and cyan (C).



The operation of TV monitors and screens is based on this principle.

The complementary colors


Complementary Color = when the sum of a given color to another gives White (W)

$$R + G + B = W$$

$$R + G = W - B = Y$$

$$R + B = W - G = M$$

$$B + G = W - R = C$$



Yellow is complementary to Blue
Magenta is complementary to Green
Cyan is complementary to Red

Color can also be obtained as a mixture of <u>colored substances</u> (pigments, dyes, etc.) whose behavior can be simulated by considering <u>color filters</u>.

Subtractive synthesis

Colored Optical Filter = a medium with flat, parallel faces that when crossed by white light selectively absorbs a portion of it.


The filter takes on the color produced by the complementary radiation of that which is absorbed as happens to colored substances.


By overlaying three filters of yellow (Y), magenta (M) and cyan (C) on a white light visor, colors are obtained for **Subtractive Synthesis**

Overlaying all three filters absorbs all visible radiation so you get Black (K).

Overlaying two filters gives the color corresponding to the light component that is not absorbed by either filter.

Subtractive synthesis





Subtractive color composition starting with the three primary YMC colors obtained by placing the three filters in the path of a white light beam.

From their superposition we obtain black (K), from the superposition of two filters we obtain red (R), green (G) and blue (B).

Sintesi Sottrattiva = aggiunge un filtro viene "sottratta" una componente che modifica il colore della luce.

Images in subtractive synthesis


In subtractive synthesis, the following color combinations are obtained (+ = superposition of filters):


$$\mathbf{Y} + \mathbf{M} = \mathbf{R}$$

$$\mathbf{Y} + \mathbf{C} = \mathbf{G}$$

$$\mathbf{M} + \mathbf{C} = \mathbf{B}$$

$$\mathbf{Y} + \mathbf{M} + \mathbf{C} = \mathbf{K}$$





Primary and secondary colors

In the RGB model with additive synthesis:

- The colors Red R, Green G and Blue B are called primary colors.
- Combining them with each other does NOT result in all visible colors.
- Combining them two by two yields the secondary colors: Magenta M, Yellow Y and Cyan C.






RGB

 In the RGB model each color is obtained by mixing the three basic colors.


 If each color component is understood as a Cartesian coordinate, then the RGB model can be graphically described by a cube.







Descrizione geometrica



The contributions of RED, GREEN and BLUE are assumed independent of each other (and thus represented by directions perpendicular to each other).

Each color is a point contained within the cube.

The line joining black and white is the line of grays.





Discussion

PRO: simple to use and implement in software and hardware: a STANDARD.


 CON: perceptually uncomfortable: difficult to tell by looking at a color in nature in what proportion R, G and B contribute to it.





CMY


The complementary model to RGB is CMY, Cyan, Magenta and Yellow.












Green Blue Red


















Colore giallo (255,255,0)











Colore ciano (0, 255,255)









Colore bianco (255,255,255)









Luminance-chrominance representations

- Color spaces, in which one component is luminance and the other two components are related to chrominance, are called luminance-chrominance representations.
- Luminance provides a grayscale version of the image while chrominance provides the "extra" information that transforms the grayscale image into a color image.
- <u>Luminance-chrominance representations are particularly important in image compression.</u>
- The human eye is more sensitive to luminance than to color. I can therefore "spend" many bits to record luminance and save some on chrominance.





The YUV space

• YUV space is often used for encoding analog images or video, keeping luminance and chrominance separate.

• WARNING. YUV refers NOT to a specific space, but to a family of spaces with the above-mentioned characteristics. As an example we report the YUV space defined in the ITU-R BT.601-4 standard.

Possible digital counterparts of YUV spaces include YC_bC_r spaces.





From RGB to YUV

• Luminance can be obtained by a linear combination of the light intensities of the red, green and blue channels of RGB. A fairly faithful approximation of "Y" luminance is obtained through weighted addition:

$$Y = 0.299R + 0.587G + 0.114B$$

• The term chrominance is defined as the difference between the color and an appropriately weighted reference white at the same luminance:

$$U = 0.564(B - Y) \rightarrow U = -0.169R - 0.331G + 0.5B$$

 $V = 0.713(R - Y) \rightarrow V = +0.5R - 0.419G - 0.081B$






From RGB to YUV

In the case where R, G and B are between 0 and 1, Y values between 0 and 1 and U and V values between -0.5 and 0.5 are obtained.

The figure shows the colors as U and V change with Y fixed at 0.5 (average luminance).

When R=G=B, U and V are worth 0 and only grays are obtained (no chrominance)







Luminance



$$Y = aR + bG + cB$$

$$a = .3$$

$$b = .6$$

$$c = .1$$




Luminance channel

The three RGB channels do not make equal contributions to luminance. The value of "luminance" is maximally maintained in the G channel.

The YUV space









From YUV to YC_bC_r

YC_bC_r spaces can be easily obtained by normalizing and possibly quantizing the YUV channels.

In the case where R, G and B are integers between 0 and 255, C_b and C_r can be obtained by shifting U and V. Y is the same as YUV. In this way, all 3 channels Y, C_{b and} C_r will be between 0 and 255.

$$Y = 0.299R + 0.587G + 0.114B$$

$$C_b = U + 128$$

$$C_r = V + 128$$

The YC_bC_r space is widely used in compression. We will find it in the JPEG format.





The YC_bC_r space

YC_bC_r :

Y represents luminance while C_b and C_r represent chrominance of blue and red













Homework

 Write a python program able to transform an image into YUV color space and then into YCbCr. Show the results at each step.









Brief Introduction to Color Spaces

Luca Guarnera, Ph.D.

Research Fellow

luca.guarnera@unict.it

University of Catania
Dipartimento di Economia e Impresa



